

PRICE-LIST



INTEGRATOR + CASCADE - Audio Mixing Units

valid off 1. Oct. 2006

all prices are export net prices in EURO, excluding cargo, insurance, custom and taxes

CUSTOM MADE UNITS OR SPECIAL VERSIONS OF STANDARD UNITS (no transformers, other range of regulation, light weight units a. s. o) : PLEASE ASK FOR AVAILABILITY AND PRICES!

WE ALSO MAKE COMPLETE INTEGRATOR AUDIO-CONSOLES AND 19"-UNITS ON CUSTOMERS REQUEST!

MICROPHONE AMPLIFIERS & INPUT AMPLIFIERS

I46 Microphone Amplifier, transformer balanced

4HE x 1 Cassette, Mic-In balanced-floating, Output balanced 990,--

4HE x 1 Cassette, Mic-In balanced-floating, Output balanced-floating 1.070,--

I76 Microphone Amplifier, transformer balanced

3HE x 1 Cassette, Mic-In balanced-floating, Output balanced 990,--

3HE x 1 Cassette, Mic-In balanced-floating, Output balanced-floating 1.070,--

I47 Microphone Amplifier, electronically balanced

4HE x 1 Cassette, Mic-In balanced-floating, Output balanced 690,--

I57 Microphone Amplifier, electronically balanced

3HE x 1 Cassette, Mic-In balanced-floating, Output balanced 690,--

I42 DI-Input Amplifier

4HE x 1 Cassette, DI-In balanced, Output balanced 690,--

4HE x 1 Cassette, DI-In balanced, Output balanced-floating 880,--

I72 DI-Input Amplifier

3HE x 1 Cassette, DI-In balanced, Output balanced 690,--

3HE x 1 Cassette, DI-In balanced, Output balanced-floating 880,--

I43 Stereo-Input Amplifier

4HE x 1 Cassette, Inputs balanced, Output balanced 990,--

Option: Inputs balanced-floating + 300,--

Option: Outputs balanced-floating + 390,--

I73 Stereo-Input Amplifier

3HE x 1 Cassette, Inputs balanced, Output balanced 990,--

Option: Inputs balanced-floating + 300,--

Option: Outputs balanced-floating + 390,--

EQUALIZERS, FILTERS, DYNAMICS

I83 5-Band Equalizer, 3 x fully parametric + HI + LOW, mono

4HE x 1 Cassette, balanced 945,--

Option: Input balanced-floating + 150,--

Option: Output balanced-floating + 195,--

I85 4-Band Equalizer, 2 x fully parametric + HI + LOW, mono

4HE x 1 Cassette, balanced 720,--

Option: Input balanced-floating + 150,--

Option: Output balanced-floating + 195,--

PRICE-LIST



INTEGRATOR + CASCADE - Audio Mixing Units

valid off 1. Oct. 2006

all prices are export net prices in EURO, excluding cargo, insurance, custom and taxes

I74 4-Band Equalizer, 2 x fully parametric + HI + LOW, mono	
3HE x 1 Cassette, balanced	720,--
Option: Input balanced-floating	+ 150,--
Option: Output balanced-floating	+ 195,--
I88 4-Band Equalizer, 2 x fully parametric + HI + LOW sweep, mono	
3HE x 1 Cassette, balanced	1.050,--
Option: Input balanced-floating	+ 150,--
Option: Output balanced-floating	+ 195,--
I86 4-Band Equalizer, 2 x fully parametric + HI + LOW, stereo	
4HE x 1 Cassette, balanced	1.360,--
Option: Inputs balanced-floating	+ 300,--
Option: Outputs balanced-floating	+ 390,--
I97 AT- Dynamic-Unit, Compressor-Expander, mono	
4HE x 1 Cassette, balanced	1.050,--
Option: Input balanced-floating	+ 150,--
Option: Output balanced-floating	+ 195,--
I93 Voice- Dynamic-Unit, Compressor-Limiter-Expander, mono	
4HE x 1 Cassette, balanced	1.350,--
I94 Dynamic-Unit, Compressor-Limiter-Gate, mono	
4HE x 1 Cassette, balanced	1.190,--
I95 Dynamic-Unit, Compressor-Expander, mono	
4HE x 1 Cassette, balanced	780,--
Option: Input balanced-floating	+ 150,--
Option: Output balanced-floating	+ 195,--
I77 Dynamic-Unit, Compressor-Expander, mono	
3HE x 1 Cassette, balanced	780,--
Option: Input balanced-floating	+ 150,--
Option: Output balanced-floating	+ 195,--
I96 Dynamic-Unit, Compressor-Expander, stereo	
4HE x 1 Cassette, balanced	1.280,--
Option: Inputs balanced-floating	+ 300,--
Option: Outputs balanced-floating	+ 390,--
I31 Stereo-Direction-Mixer with Base Control and Elliptic-EQ	
4HE x 1 Cassette, balanced	1.250,--
Option: Inputs balanced-floating	+ 300,--
Option: Outputs balanced-floating	+ 390,--
I91 Optopressor, Soft-Sound Low-Distortion Compressor	
4HE x 1 Cassette, balanced	880,--
Option: Input balanced-floating	+ 300,--
Option: Output balanced-floating	+ 390,--

PRICE-LIST



INTEGRATOR + CASCADE - Audio Mixing Units

valid off 1. Oct. 2006

all prices are export net prices in EURO, excluding cargo, insurance, custom and taxes

I71 Optopressor, SoftSound Low-Distortion Compressor	
3HE x 1 Cassette, balanced	880,--
Option: Input balanced-floating	+ 150,--
Option: Output balanced-floating	+ 195,--
I99 Noise-Gate, with Hi + Low-Pass Filter, mono	
4HE x 1 Cassette, balanced	880,--
Option: Input balanced-floating	+ 159,--
Option: Output balanced-floating	+ 195,--
I79 Noise-Gate, with Hi + Low-Pass Filter, mono	
3HE x 1 Cassette, balanced	880,--
Option: Input balanced-floating	+ 150,--
Option: Output balanced-floating	+ 195,--
I98 Peak-Limiter, mono	
4HE x 1 Cassette, balanced	880,--
Option: Input balanced-floating	+ 150,--
Option: Output balanced-floating	+ 195,--
I78 Peak-Limiter, mono	
3HE x 1 Cassette, balanced	880,--
Option: Input balanced-floating	+ 150,--
Option: Output balanced-floating	+ 195,--
I92 Peak-Limiter, stereo	
4HE x 1 Cassette, balanced	1.100,--
Option: Inputs balanced-floating	+ 300,--
Option: Outputs balanced-floating	+ 390,--
I38 Stereo-Fader Unit	
4HE x 1 Cassette, balanced	690,--

CASCADE-SUBMIXING-UNITS FOR 4HE-FRAME

C41 Submixer, 4 x Stereo into Stereo, expandable Unit, 4 balanced stereo inputs, Level + Pan, Cut/Solo + Peak-Present-Led	
4HE x 1 Cassette, balanced	855,--
4HE-EXTENDED-FRAME NEEDED	

INPUT-FADERS AND MASTER-UNITS FOR FADER FRAME, Version b, (Version a will be discontinued but is still available for upgrade of existing consoles)

I67b Fader-Modul, Mono into 5.1, 2 selectable Mono-Inputs , Input-Gain, Insert I/O, Fader + 5.1-Pan 3 Aux + 2 x Stereo-Cue, Peak-Meter, PFL, Solo, TO-Mix, Direct-Output post fader	
6HE x 1 Cassette, balanced	890,--
Option: Output balanced-floating with external transformer-output-amps IA08 (I67b can be used with Surround and Stereo Masters)	
I69b Fader-Modul, Stereo into 5.1, 1 Stereo-Input , Input-Gain, Insert I/O, Fader + 5.1-Bal	

PRICE-LIST



INTEGRATOR + CASCADE - Audio Mixing Units

valid off 1. Oct. 2006

all prices are export net prices in EURO, excluding cargo, insurance, custom and taxes

3 Aux + 2 x Stereo-Cue, Peak-Meter, PFL, Solo, TO-Mix, Direct-Output post fader
6HE x 1 Cassette, balanced **890,--**
Option: Output balanced-floating with external transformer-output-amps IA08
I69b can be used with Surround and Stereo Master Modules

**I63b Fader-Modul, 5.1 into 5.1, 1 5.1-Input , LFE-Gain,
Peak-Meter, PFL, Solo, TO-Mix,**
6HE x 1 Cassette, balanced **890,--**
Option: Output balanced-floating with external transformer-output-amps IA08

**I52b Master-Modul, Stereo, Stereo-Master with Insert, 2 Stereo Cue- and Aux-Master 1 - 3
PFL-Master and Headphone-Amp, additional Stereo-Return Input**
6HE x 1.5 Cassette, balanced **1.495,--**
Option: Output balanced-floating with external transformer-output-amps IA08

**I55b Master-Modul, 5.1, 5.1-Master with Insert and Downmix-Matrix, 2 Stereo Cue
and Aux-Master 1 - 3, PFL-Master and Headphone-Amp,
additional Stereo-Return Input and Extention Input**
6HE x 1.5 Cassette, balanced **2.630,--**
Option: Output balanced-floating with external transformer-output-amps IA08

**INPUT-FADERS AND MASTER-UNITS FOR FADER FRAME, Version a,
(will be discontinued - new 'b' version is available - Version a modules are not compatible
)**

**I66 Fader-Modul, Mono into Stereo, 2 Inputs selectable, Input-Gain, Insert I/O, Fader + Pan
2 Aux + Stereo-Cue, Peak-Meter, PFL, Solo, TO-Mix, Direct-Output post fader**
6HE x 1 Cassette, balanced **650,--**
Option: Input balanced-floating **+ 150,--**
Option: Output balanced-floating with external transformer-output-amps IA08

**I68 Fader-Modul, Stereo into Stereo, 1 Stereo-Input , Input-Gain, Insert I/O, Fader + Bal
2 Aux + Stereo-Cue, Peak-Meter, PFL, Solo, TO-Mix, Direct-Output post fader**
6HE x 1 Cassette, balanced **820,--**
Option: Input balanced-floating **+ 300,--**
Option: Output balanced-floating with external transformer-output-amps IA08

**I67 Fader-Modul, Mono into 5.1, 2 selectable Mono-Inputs , Input-Gain, Insert I/O, Fader + 5.1-Pan
2 Aux + Stereo-Cue, Peak-Meter, PFL, Solo, TO-Mix, Direct-Output post fader**
6HE x 1 Cassette, balanced **820,--**
Option: Input balanced-floating **+ 150,--**
Option: Output balanced-floating with external transformer-output-amps IA08

**I69 Fader-Modul, Stereo into 5.1, 1 Stereo-Input , Input-Gain, Insert I/O, Fader + 5.1-Bal
2 Aux + Stereo-Cue, Peak-Meter, PFL, Solo, TO-Mix, Direct-Output post fader**
6HE x 1 Cassette, balanced **820,--**
Option: Input balanced-floating **+ 300,--**
Option: Output balanced-floating with external transformer-output-amps IA08

**I63 Fader-Modul, 5.1 into 5.1, 1 5.1-Input , LFE-Gain,
Peak-Meter, PFL, Solo, TO-Mix,**

PRICE-LIST



INTEGRATOR + CASCADE - Audio Mixing Units

valid off 1. Oct. 2006

all prices are export net prices in EURO, excluding cargo, insurance, custom and taxes

6HE x 1 Cassette, balanced	890,--
Option: Output balanced-floating with external transformer-output-amps IA08	
I52 Master-Modul, Stereo, Stereo-Master with Insert, Cue- and Aux-Master 1 +2 PFL-Master and Headphone-Amp, additional Stereo-Return Input and Extention Input	
6HE x 1.5 Cassette, balanced	1.295,--
Option: Output balanced-floating with external transformer-output-amps IA08	
I55 Master-Modul, 5.1, 5.1-Master with Insert and Downmix-Matrix, Cue- and Aux-Master 1 +2 PFL-Master and Headphone-Amp, additional Stereo-Return Input and Extention Input	
6HE x 1.5 Cassette, balanced	2.230,--
Option: Output balanced-floating with external transformer-output-amps IA08	
I70 Docking-Amplifier, to connect another fader frame to an integrator mixing system	
6HE x 0.5 Cassette, balanced	580,--

SPECAIL-UNITS

I61b Control-Room or Studio Unit, Stereo 4HE x 1.0 4HE x 1.0 Cassette, balanced, Potentiometer Version	1.350,--
I12 Stereo Ledmeter Unit, 2 x 50 Leds 4HE x 1.0 Cassette, balanced	570,--
I62 Control-Room Unit 5.1, 4HE x 2.0 4HE x 2.0Cassette, balanced	3.450,--
I64 Control-Room Select Unit, Stereo, 8 external stereo sources and 4 internal sources 4HE x 2.0 4HE x 2.0Cassette, balanced	540,--
I62 Control-Room SelectUnit 5.1, 2 x 5.1 source, 4 x stereo source, 4 internal sources 4HE x 2.0 (for Slot 9 in 4HE/S or 4HE/E-Frames) 4HE x 1.5 Cassette, balanced	640,--
I26 Studio- and Headphone Amplfier with Talkback Mic and Amplifier, 4 HE x 1 4HE-EXTENDED-FRAME NEEDED	1.490,--
I21 Universal Select-Unit, expandable, 6 x Stereo into Stereo, 4 HE x 1 4HE-EXTENDED-FRAME NEEDED	490,--
I14 Jackpanel Unit, 14 1/4" Jacks 4HE-EXTENDED-FRAME NEEDED	260,--

FRAMES AND POWER-SUPPLY UNITS

4HE/S 19"-Frame for 4HE-Standard Cassette Units , 9 Slots (for all Amplifiers, EQ's a.s.o) fully wired for stereo I/O (XLR + SubD25 in parallel) and additional connectors on Slot 9 for Control-Room-Modules and Select-Moduls, for external power supply	640,--
---	--------

PRICE-LIST



INTEGRATOR + CASCADE - Audio Mixing Units

valid off 1. Oct. 2006

all prices are export net prices in EURO, excluding cargo, insurance, custom and taxes

3HE/S	19"-Frame for 3HE-Standard Cassette Units , 9 Slots (for all Amplifiers, EQ's a.s.o) fully wired for stereo I/O (XLR + SubD25 in parallel) and additional connectors on Slot 9 for Control-Room-Modules and Select-Moduls, for external power supply	640,--
4HE/E	19"-Frame for 4HE-Standard Cassette Units, Cascade-Mixing-Moduls and Special Units 9 Slots fully wired for stereo I/O (XLR + SubD25 in parallel) 1 SubD25 and 1 SubD9 per Slot for Extention I/O and Controls and additional connectors on Slot 9 for Control-Room-Modules and Select-Moduls, for external power supply	740,--
6HE	19"-Frame for 6HE-Fader Cassette Units, 9 Slots fully wired for stereo I/O and Insert and additional Master I/O on Slot 9 Couple-Connector to use the frame as an expansion unit, for external power supply	990,--
4HE/E6	Desktop Frame for 6 4HE-Standard Cassette Units, Cascade-Mixing-Moduls and Special Units 6 Slots fully wired for stereo I/O on XLR 1 SubD25 and 1 SubD9 per Slot for Extention I/O and Controls, for external power supply	640,--
3HE/6	Desktop Frame for 6 3HE-Standard Cassette Units, 6 Slots fully wired for stereo I/O on XLR, for external power supply	640,--
3HE/A	19"-Frame for 3HE-Connector-Panels, Jackfields and powerdistributors	350,--
IIN1	Power Supply Unit 100 VA f Desktop-Unit , 230V/115V selectable, for about 10 units	620,--
IN3	Power Supply Unit 300 VA 19" - 3 HE , 230V/115V selectable, for about 30 units	990,--
IN4	Power Supply Unit 600 VA 19" - 3 HE, 230V/115V selectable, for about 60 units	1.340,--
IN5	Power Supply Unit 1200 VA 19" - 6 HE, 230V/115V selectable, for about 120 units	1.550,--
IN6	Power Supply Unit 1800 VA 19" - 6 HE, 230V/115V selectable, for about 180 units	1.950,--

BLINDPANELS

IB610	Blindpanel 6HE x 1 (Standard-Fader-Modul e)	36,--
IB505	Blindpanel 6HE x 0.5	36,--
IB515	Blindpanel 6HE x 1.5	42,--
IB520	Blindpanel 6HE x 2 (2 Standard-Fader Modules)	56,--
IB410	Blindpanel 4HE x 1)	32,--
IB405	Blindpanel 4HE x 0.5	32,--
IB415	Blindpanel 4HE x 1.5	36,--
IB420	Blindpanel 4HE x 1	40,--

PRICE-LIST



INTEGRATOR + CASCADE - Audio Mixing Units

valid off 1. Oct. 2006

all prices are export net prices in EURO, excluding cargo, insurance, custom and taxes

IB310 Blindpanel 3HE x 1)	32,--
IB305 Blindpanel 3HE x 0.5	32,--
IB315 Blindpanel 3HE x 1.5	36,--
IB320 Blindpanel 3HE x 1	44,--

ACCESSORIES

IV05 Power + Ground Distribution Panel, 3HE, for one power supply and 5 Frames	196,--
IV10 Power + Ground Distribution Panel, 3HE, for one power supply and 10 Frames	295,--
IJ8 Jackfiles-Unit, 3 HE, 8 TT-Jacks - SubD25	145,--
IA8F Connector-Adapter SubD25 - 8 x XLR female	98,--
IA8M Connector-Adapter SubD25 - 8 x XLR male	98,--

IK8-1 Cable - Audio Multicore - 8 balanced Lines SubD25 male on both ends, 1 m	ask
IK8-2 Cable - Audio Multicore - 8 balanced Lines SubD25 male on both ends, 2 m	ask
IK8-3 Cable - Audio Multicore - 8 balanced Lines SubD25 male on both ends, 3 m	ask
IK8-5 Cable - Audio Multicore - 8 balanced Lines SubD25 male on both ends, 5 m	ask

IKA-5 Cable - Connection between to Fader Frames 6 HE for Expansion, 0.5 m	99,--
IKA-1 Cable - Connection between to Fader Frames 6 HE for Expansion, 1 m	109,--
IKA-2 Cable - Connection between to Fader Frames 6 HE for Expansion, 2 m	135,--

IKN11 Cable - Power-Connector Frame to Frame *, 1 m	45,--
IKN12 Cable - Power-Connector Frame to Frame *, 2 m	56,--
IKN13 Cable - Power-Connector Frame to Frame *, 3 m	62,--
IKN15 Cable - Power-Connector Frame to Frame *, 5 m	75,--
* or Power and Ground Distribution-Panel to Frame	

IKN23 Cable - Power-Connector Power-Supply to Frame, for IN1, IN3 and IN4 , 3 m	90,--
IKN25 Cable - Power-Connector Power-Supply to Frame, for IN1, IN3 and IN4, 5 m	130,--
IKN28 Cable - Power-Connector Power-Supply to Frame, for IN1, IN3 and IN4, 8 m	145,--

IKN25 Cable - Power-Connector Power-Supply to Frame, for IN5 and IN6, 3 m	110,--
IKN25 Cable - Power-Connector Power-Supply to Frame, for IN5 and IN6, 5 m	140,--
IKN25 Cable - Power-Connector Power-Supply to Frame, for IN5 and IN6, 8 m	160,--

IA-ST Cable - Adapter for using Integrator Standard Cassettes without frame 4 Audio Cables for Stereo I/O with XLR Connectors and 1 Power-Cable with Plug for Supply-Unit IN1, IN2 or IN3	193,--
---	--------

IA-EX Cable -Extender-Set with 2 Cables (Frame to Cassettes)	320,--
--	--------